

Guide To Install Yosemite on HP Laptops with Clover UEFI

- [View First Unread](#)
- [Thread Tools](#)
- [Search Thread](#)

1.

[nguyenmac](#)

Join Date
Oct 2012
Posts
2,332
System
HP Elitebook 8470p
CPU
Intel Core i5 3320M
Graphics
Intel HD4000
Geekbench Score
6314
Online

10-16-2014, 02:59 PM [#1](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

2. Introduction

- 3.
- 4.
- 5.
6. New Hp laptops series have UEFI implemented in BIOS, and it provides much more advantages over current BIOS-based bootloaders like Chimera/Chameleon.
 - Faster boot time
7. - Easier OS X install/Upgrade with native methods
8. - Create and boot to Recovery HD, for Time Machine and Disk Utility
9. - Patching kexts on the fly (no need to patch kexts after update)
10. - Can boot to Windows UEFI (which recognizes > 4 partitions GPT drive)
11. - Don't need to mess with master boot records
12. The guide is for:- 6-series laptop: HP Probook 4x30s, 6x60b, Elitebook 8x60p, 2x60p
13. - 7-series laptop: HP Probook 4x40s, 4x0 G0, 6x70b, Elitebook 8x70p, 2x70p, 9470m
14. - 8-series laptop: HP Probook 4x0 G1, Elitebook 8x0 G1
- 15.
16. * HP Probook s series with/without Radeon card is supported
17. * HP Elitebook/Probook b series with Intel HD3000/4000/4400/4600 is supported
18. * HP Elitebook 8x70p/Probook 6x70b with AMD 7570M/7650M is experimentally supported
19. * Other HP Elitebook/Probook b series with AMD card is NOT supported
- 20.
- *Always search in the first post before asking questions*
- 21.

22. Compatible Wifi card

- 23.
24. Here is the list of recommended compatible wifi cards:
25. - HP Probook 4x30s: HP-branded Atheros AR5B195
26. - HP Probook 6x60b/5330m, HP Elitebook 8x60p/2x60p: HP-branded Broadcom 43224HMS (582564-001/582564-002)
27. - Other laptop:
 - WIFI ONLY: Atheros AR9280/9285, Broadcom 4322/43224 (better OS X feature support)
 - WIFI + BT: AR5B195 (not recommended), Broadcom 43225HMB/4352HMB (better OS X feature support)
- 28.
- 29.

30. Known issues

- 31.
32. - Distorted bootscreen with 7-series laptops using 1366x768 display + UEFI

native (without CSM) setting. Changing Clover resolution to 1024x768, or enable UEFI Hybrid (with CSM) can fix it.

- 33.
- 34. - 6-series laptops can have restart-on-wake problems.
- 35.
- 36. - There is 10s-15s delay before going to sleep. It's a function (or a bug?) in Yosemite, even on real Mac (confirmed by RehabMan)
- 37.
- 38. - Find My Mac does not work properly. Don't lock your mac because it's hard (or unable) to unlock again.
- 39.
- 40. - There are graphical glitches in system with HD4400/HD4600.
- 41.
- 42. - For users with Broadcom 43224 wifi card, you have to set SMBIOS to MacBook Air 5,2 to get Wifi working.
- 43.
- 44.

45. Install OS X Yosemite

- 46. Download the required files in https://www.dropbox.com/sh/28spnh4oz...tSvEv_4CSU67za.
- 47.
- 48. ***** If you have any problems, please post troubleshooting files*****
- 49. *****I will not answer any problems if you ignore this*****
- 50.

- 51. 1. Prepare a USB with 8GB or more, format by Disk Utility:- Partition Layout: 2 Partitions
- 52. - 1st Partition: Name CLOVER, Format: MS-DOS (FAT), Size: >300MB
- 53. - 2nd Partition: Name MacUSB, Format: Mac OS Extended (Journaled), Size: >7GB
- 54. - Options: Master Boot Record
 - Download Clover.zip, extract then copy EFI folder to CLOVER partition.
- 55. - Download Config.zip, extract then select right config.plist and copy to /EFI/Clover/
- 56. 2. Create Yosemite Installer partition (need a Mac), follow 2a or 2b:
- 57. 2a. (Easy guide, but may stuck in blank screen)- Download Yosemite Install app from AppStore.
- 58. - Launch terminal and run the following script:
- 59. Code:

```
sudo /Applications/Install\ OS\ X\ Yosemite.app/  
Contents/Resources/createinstallmedia --volume /  
Volumes/MacUSB --applicationpath /Applications/Install  
\ OS\ X\ Yosemite.app --nointeraction
```

- Your Yosemite Installer partition will be renamed "Install OS X Yosemite"
- 60. 2b. (Manual way)- Download Yosemite Install app from AppStore.- Right click to Yosemite Install app > Show Package Contents > Contents > Shared Support, open InstallESD.dmg.
- 61. - Open OS X Install ESD partition, open BaseSystem.dmg (hidden file)
- 62. - Use Disk Utility to clone OS X Base System to MacUSB partition.
- 63.
- 64. - Go to System/Installation of USB and delete the alias "Packages", then go to "OS X Install ESD" partition, copy the "Packages" to the folder System/Installation of your USB
- 65. - Copy BaseSystem.dmg and BaseSystem.chunklist (hidden files) from OS X Install ESD to OS X Base System (on your USB)
- 66. 3. Enable these options in BIOS:6-series laptop: UEFI Boot.
- 67. 7-series laptop: UEFI Native without CSM or UEFI Hybrid with CSM (if you have Windows Legacy)
Disable Wake on LAN.
- 68. Disable Firewire device.
- 69.
- 70. 4. Plug the flashdrive to USB ports. Restart and press F9 to choose Boot devices > Boot from EFI file > choose your Clover bootloader partition > EFI > Boot > BOOTX64.efi
- 71.
- 72. 5. Clover bootloader screen shows up, select "Boot OS X Install from Install OS X Yosemite" or "Boot OS X Install from OS X Base System".
- 73.
- 74. 6. Press spacebar if a nagging screen about Mouse/keyboard appears. Install screen will appear, use Disk Utility to format your drive as GPT, create a Mac OS X Extended (Journaled) partition and install Yosemite to your formatted partition. If you used step 2b, go straight to step 10. If you used step 2a, please continue, the installer will **extract necessary files to USB** (not your target partition). This takes a lot of time at the end, though you only see "a minute remaining". This will end **PHASE 1.**
- 75.
- 76. 7. Restart and press F9 to choose Boot devices > Boot from EFI file > choose your Clover bootloader partition > EFI > Boot > BOOTX64.efi
- 77.
- 78. 8. Clover bootloader screen shows up, select "Boot OS X Install from Install OS X Yosemite" or "Boot OS X Install from OS X Base System" (your Yosemite Installer partition, not your install target partition).
- 79.
- 80. 9. Install screen will appear and continue installation. This time, installer will **install files to your target partition** and **create Recovery HD partition**. This will end **PHASE 2.**
- 81.

82. 10. Restart and press F9 to choose Boot devices > Boot from EFI file > choose your Clover bootloader partition > EFI > Boot > BOOTX64.efi
- 83.
84. 11. Clover bootloader screen shows up, **press F4**, select "Boot OS X from YourPartition".
- 85.
86. 12. If everything goes well, you can boot straight to Yosemite desktop.
- 87.
88. 13. Download HP Probook Installer here [HP Probook Installer Clover Edition](#) and install with these options:
- 89.
90. **Clover UEFI:** *Install Clover UEFI bootloader*
- 91.
92. **OS X support kexts:** select only the version that matches your laptop (4x30s, 4x40s, etc).
93. **Config and DSDT patcher:-** *ProBook model:* your Probook Model
94. - *Fan behavior:* Readings only.
95. - *Display type:* your display resolution
96. **SSDT generator/patcher:** Generate SSDT.aml for your CPU Management
97. **Misc OS X fixes:** - *Probook/Elitebook Logos:* Change MacBook logos in About This Mac to Probook/EliteBook
98. - *Color profiles:* Recommended.
99. *Extra tools:* All optional. Select the ones you want.
- 100.
101. After making your selections, click 'Continue' and allow the ProBook Installer to work.
- 102.
103. 14. Restart and enjoy! If you don't have sound, use Kext Wizard to repair permission, rebuild cache and restart many times until it work.
- 104.
105. 15. If you can't login to iCloud/AppStore, clear network settings:
106. - Go to /Library/Preferences/SystemConfiguration/ and delete these files:
 - CaptiveNetworkSupport
 - com.apple.airport.preferences.plist
 - com.apple.network.eapolclient.configuration.plist
 - NetworkInterfaces.plist
- 107.
108. - Go to System Preferences > Network, delete all connection. Then restart
109. - Go to System Preferences > Network, add your connection again.
- 110.
- 111.

112. EC Reset

113. If you have problems with keyboard, touchpad, auto restart in OS X, you may try

EC reset:

- 114. - Unplug AC Adapter, remove battery.
- 115. - Hold the power button for 30 seconds.
- 116. - Attach your battery, plug AC Adapter then turn on the laptop.
- 117.
- 118.

119. Update OS X Yosemite

120.

- 121. You can update to any 10.10.x version you want like a real Mac. If you have trouble with sleep after update, then run this in terminal:
- 122. Code:
`sudo pmset -a hibernatemode 0`

Install Windows UEFI as dual boot

123.

- 124. Install Windows UEFI (and other UEFI OSes) are quite easy because you don't need to mess up with Boot records. See FAQ for more detail.
- 125.
- 126. **To Install Windows 7 UEFI on 7-series laptops, you must select UEFI hybrid (with CSM) in BIOS.
- 127.
- 128. 1. Create your Windows UEFI install USB key by following the guide here:
- 129. <http://www.eightforums.com/tutorials...e-windows.html>
- 130.
- 131. 2. Use Disk Utility or GParted to create a partition with **Mac OS X Extended** format on hard drive for Windows. This will prevent OS X from convert your drive to GPT/Hybrid MBR.
- 132.
- 133. 3. Restart and press F9 to choose Boot devices > Boot from EFI file > choose your Windows Install USB key > EFI > Boot > BOOTX64.efi
- 134.
- 135. 4. Use Windows installer to format the partition you prepared as NTFS. Complete install and now you will boot to Windows by default, Clover disappears.
- 136.
- 137. 5. Restart and press F9 to choose Boot devices > Boot from EFI file > choose your EFI partition (which contains Clover bootloader) > EFI > Clover > CLOVERX64.efi
- 138.
- 139. 6. You can now see Clover bootloader with new entry "Boot Microsoft UEFI Menu from EFI".
- 140.
- 141. 7. Boot to OS X and use Clover Configurator to mount EFI partition of your Windows UEFI drive (in case you have installed Windows to second drive, select

disk1s1). Go to EFI/Microsoft/Boot/ and rename bootmgfw.efi to bootmgfw-orig.efi

142.

143. 8. Restart.

144.

145. 9. If you can only boot to Windows after updating Windows, then rename new bootmgfw.efi to bootmgfw-orig again.

146.

147. ****Note:** If you installed Windows 7 UEFI, you should install latest Service Pack before installing HD3000 update*******

148.

149. Repatch DSDT

150.

151. Download the required files

152.

153. 1. Boot to Clover from USB or HDD, **press F4** at Clover screen.

154.

155. 2. Boot to your OS X Yosemite. Download HP Probook Installer here [HP Probook Installer Clover Edition](#) and install with these options:

156.

157. Config and DSDT patcher:- *ProBook model:* your Probook Model

158. - *Fan behavior:* your desired fan behavior.

159. - *Display type:* your display resolution

After making your selections, click 'Continue' and allow the ProBook Installer to work.

160.

161. Update Clover and kexts

162.

163. Download latest HP Probook Installer here [HP Probook Installer Clover Edition](#) and install with these options:

164.

165. Clover UEFI: *Update Clover UEFI bootloader*

166.

167. OS X support kexts: select only the version that matches your laptop (4x30s, 4x40s, etc).

168.

169.

170.

Config Clover

171.

172. I suggest that you always update to the latest Clover Configurator to avoid

removed keys in latest Clover

173.

174.1. Mount EFI partition

175.

176.

177. The recommend way is using Clover Configurator to mount EFI partition (Extra > MountEFI). Note that you have to unmount existing EFI partition first.

178.

179. To mount EFI partition, you can use the following command in terminal:

180. Code:

```
diskutil list
```

```
181.      mkdir /Volumes/EFI
```

```
182.      sudo mount -t msdos /dev/disk0s1 /Volumes/EFI
```

```
183.      --Note:  if diskutil tells you your mavericks  
install is on disk1, disk2, etc change /disk0s1  
appropriately.
```

2. Default Boot Entry

184.

185.

186. You can change default boot entry by setting this in Boot tab of config.plist:

187.

188. Default Boot Volume: the **partition name** containing entry's bootloader. For Windows or Linux, it's usually "EFI". For OS X, it's the name of your OS X partition.

189. Default Loader: If one partition name has many bootloader (like "EFI" partition, containing both Windows and Linux bootloader), you can specify which one is default by setting the **exact path** to that bootloader.

190.

191.3. Fast Boot

192.

193.

194. To reduce the BIOS checking time (HP logo on screen) significantly by 5-6s, you can turn on Fast Boot in BIOS (it will be disabled if you installed HP Protect Tools in Windows). Please note that this will disable mouse devices and booting to USB devices from Clover bootscreen. To enable Full Boot temporarily, press ESC at boot and select Continue Startup.

195.

196. To bypass the Clover bootscreen, set Boot/Timeout to 0. You can trigger the Clover bootscreen by pressing any key right after HP logo disappears.

197.

198.4. Legacy OS boot

199.

200.

201. If you have Legacy OSes installed, you can enable Clover to boot legacy OS by editing your config.plist:- Gui > Scan > Custom: check Legacy

202. - Boot > Legacy: LegacyBiosDefault

203. For 7-series laptops, you also have to select UEFI with CSM in BIOS.

204.

205.5. Patching Kexts on-the-fly

206.

207.

208. Clover can patch your kexts in kernel cache on-the-fly in KextsToPatch section. Clover will find bits value in your specified kexts and replace it. AppleRTC and AppleIntelCPUPowerManagement are patched by default in Kernel and Kext Patches:- AppleRTC

209. - ASUS AICPUPM

210. You can patch other kexts in Config.plist. Note that the config.plist uses 64-base value, while Clover Configurator shows your hexa value.

211.

212. Trim Enabler

213. CC: 4150504C4520535344 -> 00000000000000000000

214. config.plist

215. Code:

```
                <dict>
216.                <key>Comment</key>
217.                <string>Trim Enabler</string>
218.                <key>Find</key>
219.                <data>
220.                QVBQTEUgU1NE
221.                </data>
222.                <key>Name</key>
223.                <string>IOAHCIBlockStorage</
                string>
224.                <key>Replace</key>
225.                <data>
226.                AAAAAAAAAAAAA
227.                </data>
228.                </dict>
```

External display port

229. [Clover patch for external display](#)

230. AppleHDA:

231. [Patch AppleHDA kext on-the-fly with Clover bootloader](#)

232.

233.

234.6. Custom Entry

235.

236.

237. You can customize entries in Clover bootscreen by editing Custom Entries. Open

your config.plist with Clover Configurator, press + button under Custom Entries.
You need to fill in options:

- 238. - Volume: Your partition UUID, you can find them in /Library/Logs/Clover/EFI/boot.log
- 239. - Path: The path to your .efi boot file. If not specified, Clover will use default value based on Type
- 240. - Title/Full Title: Check the box to switch to Full Title, then name your entry.
- 241. - Hidden: Hide the entry in Clover screen, you can show them by pressing F3.
- 242. - Disabled: Remove the entry in Clover screen
- 243. - Type: Select your Entry OS X.
- 244.
- 245. Note that the UUID has to be of the partition containing entries. For example, if you see "Boot Microsoft Windows from EFI", then EFI is the partition containing Windows UEFI.
- 246.
- 247.
- 248.

249. Frequently Ask Question

250.

251.1. How is multitouch toupad support?

252.

253. You can use two finger for scrolling/right click.

- 254. If you want to assign three-finger gesture, go to System Preferences > Keyboard > Shortcuts > select the shortcut and swipe three-finger to assign.

255.

256.2. Spotlight Console spamming

257.

258. When you mount a FAT32 or faulty partition in Mavericks, especially EFI partition, Spotlight will try to index your partition and fail, which lead to tons of console errors. To disable permanently spotlight in a specific partition, go to that partition and create .metadata_never_index file by using the following command

in terminal:

259.

Code:

```
touch .metadata_never_index
```

3. Can't activate iMessage/Facetime

260.

261. Do step 3.x in the link below:

262. <http://www.insanelymac.com/forum/top.../entry2020598>

263.

264.4. Can't use VGA port with HD4000 or above

265.

266. Use a Displayport-to-VGA or HDMI-to-VGA adapter, both work fine.

267.

268.5. Sleep

269.

270. Turn off Wake on Ethernet in System Preferences and BIOS. If you have trouble with auto-wake caused by USB devices, turn off Wake on USB in BIOS, or disable wake by USB in your config.plist (see above).

271.

272. Some HP laptops have fingerprint sensor. If you disable it in BIOS, your system will auto wake after sleep. Enable it in BIOS will fix this

273.

274.6. Can't install Windows UEFI because it says this is a MBR drive

275.

276. If you use Disk Utility to create a FAT partition, your drive will be converted to GPT/Hybrid MBR. To fix this, delete or reformat that FAT partition to Mac OS Extended, or use gdisk in Linux usb to convert your drive to GPT/Protective

MBR.

277.

278. Credit

279.

280. All my thanks to RehabMan, philip_petev, Slice and all Clover developers, HP Probook members, who spent hours of coding to help me complete my Hackintosh laptops.

2
8 282.
1
.

2
8
3
.

284.

285.

[Joyfult](#)

Join Date

Mar 2012

Posts

697

System

HP ProBook 4530s OS X 10.10 BIOS F.50

CPU

Intel Core i5-2450M / Intel HM65

Graphics

Intel HD 3000 & AMD Radeon HD 7470M / 1366x768

Geekbench Score

6520

Online

10-16-2014, 03:16 PM [#2](#)

Guide To Install Yosemite on HP Laptops with

Clover UEFI

286.

Originally Posted by **nguyenmac**

2. Create Yosemite Installer partition (need a Mac), follow 2a or 2b:

287.

288. 2a. (Easy guide, but may stuck in blank screen)- Download Yosemite Install app from AppStore.

289. - Launch terminal and run the following script:

290. Code:

```
sudo /Applications/Install\ OS\ X\ Yosemite.app/  
Contents/Resources/createinstallmedia --volume /  
Volumes/MacUSB --applicationpath /Applications/Install  
\ OS\ X\ Yosemite.app --nointeraction
```

- Your Yosemite Installer partition will be renamed "Install OS X Yosemite"

291. 2b. (Manual way)- Download Yosemite Install app from AppStore.- Right click to Yosemite Install app > Show Package Contents > Contents > Shared Support, open InstallESD.dmg.

292. - Open OS X Install ESD partition, open BaseSystem.dmg (hidden file)

293. - Use Disk Utility to clone OS X Base System to MacUSB partition.

294.

295. - Go to System/Installation of USB and delete the alias "Packages", then go to "OS X Install ESD" partition, copy the "Packages" to the folder System/Installation of your USB

296. - Copy BaseSystem.dmg and BaseSystem.chunklist (hidden files) from OS X Install ESD to OS X Base System (on your USB)

From my experience 2b. manual way is the best way to create USB stick. I tried to create USB Stick on yosemite GM (with the 2a. easy guide) and it didn't work. Then I tried with the 2b manual way and it worked.

297.

298. Thanks!

299.

[RehabMan](#)

Moderator Join Date

May 2012

Posts

45,117

System

Intel DH67BL/HP ProBook 4530s

CPU

Core i7-2600K/Core i3-2310m

Graphics

Intel HD 3000

Geekbench Score

11641

Online

10-16-2014, 03:17 PM [#3](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

300.

Originally Posted by **Joyfult**

From my experience 2b. manual way is the best way to create USB stick. I tried to create USB Stick on yosemite GM (with the 2a. easy guide) and it didn't work.

Then I tried with the 2b manual way and it worked.

301.

302. Thanks!

When you have such a small comment, please do not quote the entire post.

- Laptop#1: HP ProBook 4540s D8C12UT (1080p), i5-3230m, BIOS F.50a: OS X 10.10/Windows 7/Windows 8.1
303. Laptop#2: Lenovo U430 Touch, i7-4500U: OS X 10.10/Windows 8.1
304. Desktop: DIY Intel DH67GD, Core i7-2600K, Dell U3011+U2001FP: 10.10/10.7.5/Windows 8.1/Windows 10(TP)
305. Projects || Blog

306.

[sturthrt](#)

Join Date
Feb 2011
Posts
18
System
HP Probook 4530
CPU
i7
Graphics
intel HD 3000
Online

10-16-2014, 05:27 PM [#4](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

307. i have the probook 4530's which u upgraded the screen to the 1080p screen. its been a long while since i last put osx on it. and i remember having to do something to get the screen to work. following this guide to do a fresh install is

there anything else i need in order to make my screen work correctly.
308.
309. thanks in advance

310.

[RehabMan](#)

Moderator Join Date
May 2012
Posts
45,117
System
Intel DH67BL/HP ProBook 4530s
CPU
Core i7-2600K/Core i3-2310m
Graphics
Intel HD 3000
Geekbench Score
11641
Online

10-16-2014, 05:34 PM [#5](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

311.

Originally Posted by **sturthrt**

i have the probook 4530's which u upgraded the screen to the 1080p screen. its been a long while since i last put osx on it. and i remember having to do something to get the screen to work. following this guide to do a fresh install is there anything else i need in order to make my screen work correctly.

312.

313. thanks in advance

Just read/follow post #1.

Laptop#1: HP ProBook 4540s D8C12UT (1080p), i5-3230m, BIOS F.50a: OS X 10.10/Windows 7/Windows 8.1

314. Laptop#2: Lenovo U430 Touch, i7-4500U: OS X 10.10/Windows 8.1

315. Desktop: DIY Intel DH67GD, Core i7-2600K, Dell U3011+U2001FP: 10.10/10.7.5/Windows 8.1/Windows 10(TP)

316. Projects || Blog

317.

[hanzala27](#)

Join Date

Jun 2013

Posts

14

Online

10-16-2014, 06:41 PM [#6](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

318.

Originally Posted by **RehabMan**
Just read/follow post #1.

my computer 4530s installed 10.9.5 and windows 8 on now. i wanted install Yosemite and instead of 10.9.5. Does a problem when booting?

319.

[RehabMan](#)

Moderator Join Date

May 2012

Posts

45,117

System

Intel DH67BL/HP ProBook 4530s

CPU

Core i7-2600K/Core i3-2310m

Graphics

Intel HD 3000

Geekbench Score

11641

Online

10-16-2014, 06:45 PM [#7](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

320.

Originally Posted by **hanzala27**

my computer 4530s installed 10.9.5 and windows 8 on now. i wanted install Yosemite and instead of 10.9.5. Does a problem when booting?

For fresh install, no problem if you follow the guide. If you plan to upgrade your current 10.9.5, you should migrate to Clover first if you haven't already.

321.

322. As far as Windows 8, if it is a legacy install, you can boot it legacy via Clover. I'm not certain, but you might have to re-install the Windows legacy bootloader (instead of Chamleon which is there now) with BOOTREC.EXE. I migrated my Windows install to UEFI instead.

Laptop#1: HP ProBook 4540s D8C12UT (1080p), i5-3230m, BIOS F.50a: OS X 10.10/Windows 7/Windows 8.1

323. Laptop#2: Lenovo U430 Touch, i7-4500U: OS X 10.10/Windows 8.1

324. Desktop: DIY Intel DH67GD, Core i7-2600K, Dell U3011+U2001FP: 10.10/10.7.5/Windows 8.1/Windows 10(TP)

325. Projects || Blog

326.

[hanzala27](#)

Join Date
Jun 2013
Posts

14
Online

10-16-2014, 07:31 PM [#8](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

327.

Originally Posted by **RehabMan**

For fresh install, no problem if you follow the guide. If you plan to upgrade your current 10.9.5, you should migrate to Clover first if you haven't already.

328.

329. As far as Windows 8, if it is a legacy install, you can boot it legacy via Clover. I'm not certain, but you might have to re-install the Windows legacy bootloader (instead of Chamleon which is there now) with BOOTREC.EXE. I migrated my Windows install to UEFI instead.

330. I do not want the disruption of the bot window hep me please

331.

[RehabMan](#)

Moderator Join Date
May 2012

Posts
45,117
System
Intel DH67BL/HP ProBook 4530s
CPU
Core i7-2600K/Core i3-2310m
Graphics
Intel HD 3000
Geekbench Score
11641
Online

10-16-2014, 07:36 PM [#9](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

332.

Originally Posted by **hanzala27**

i do not want the disruption of the bot window hep me please

??

Laptop#1: HP ProBook 4540s D8C12UT (1080p), i5-3230m, BIOS F.50a: OS X 10.10/Windows 7/Windows 8.1

333. Laptop#2: Lenovo U430 Touch, i7-4500U: OS X 10.10/Windows 8.1

334. Desktop: DIY Intel DH67GD, Core i7-2600K, Dell U3011+U2001FP:
10.10/10.7.5/Windows 8.1/Windows 10(TP)

335. Projects || Blog

336.

[fen7azy](#)

Join Date

Feb 2012

Posts

24

System

HP Probook

CPU

Intel Core i5 2450M

Graphics

Intel HD 3000

Online

10-16-2014, 09:48 PM [#10](#)

Guide To Install Yosemite on HP Laptops with Clover UEFI

337. I see the tutorial for Dual boot with Windows 7, but if I've already have installed Windows 8.1 from CD (I guess it was not UEFI install), how can I make it dual boot with Yosemite? What is the steps to install the both OS's and make it dual boot (install them both on 1 Hard Drive, but to different partitions)?
338. Thanks in advance.

339.

340.

[Page 1 of 59](#) [1231151](#) ...

Quick Navigation [HP ProBook - Yosemite](#) [Top](#)

- [Forum](#) → [Laptops](#) → [Yosemite Laptop Support](#) → [HP ProBook - Yosemite](#) → **[Guide To Install Yosemite on HP Laptops with Clover UEFI](#)**

- [Forum](#)
 - [Articles](#)
 - [The Build](#)
 - [Buying Advice](#)
 - [Compatibility Advice](#)
 - [Desktop Compatibility](#)
 - [General Hardware](#)
 - [Deals of the Day](#)
 - [Golden Builds](#)
 - [User Builds](#)
 - [Installation](#)
 - [The Basics](#)
 - [Mavericks Desktop Support](#)
 - [Mavericks Desktop Guides](#)
 - [Mtn. Lion Desktop Support](#)
 - [Mtn. Lion Desktop Guides](#)
 - [Lion Desktop Support](#)
 - [Lion Desktop Guides](#)
 - [SL Desktop Support](#)
 - [SL Desktop Guides](#)
 - [BIOS/UEFI](#)
 - [DSDT](#)
 - [SSDT](#)

- [Other Operating Systems](#)
 - [Linux](#)
 - [Multi Booting](#)
 - [Windows](#)
- [Post Installation](#)
 - [Audio](#)
 - [HDMI Audio](#)
 - [General Help](#)
 - [Graphics](#)
 - [Network](#)
 - [Long Term Support](#)
 - [Hardware Troubleshooting](#)
 - [OS X Updates](#)
- [The Workshop](#)
 - [Alternate Bootloaders](#)
 - [Customization](#)
 - [Overclocking](#)
 - [Case Mods](#)
 - [Completed Mods](#)
 - [iMac Mods](#)
 - [Mac Pro Mods](#)
 - [PowerMac G3 B&W](#)
 - [PowerMac G4](#)
 - [PowerMac G4 Cube](#)
 - [PowerMac G5](#)
 - [Others](#)
 - [Retail Cases](#)
 - [Modders Tools](#)
 - [CNC Templates](#)
 - [PCB Templates](#)
 - [Hardware/Parts](#)
 - [Hand Tools](#)
 - [Power Tools](#)
- [The Tools](#)
 - [Announcements](#)
 - [UniBeast](#)
 - [MultiBeast](#)
 - [MultiBeast Bug Reports](#)
 - [MultiBeast Feature Requests](#)
 - [MultiBeast Archived Threads](#)
 - [Chimera](#)
 - [Chimera Bug Reports](#)
 - [Chimera Feature Requests](#)
 - [General](#)

- [Source](#)
 - [Chimera Archived Threads](#)
 - [iBoot / rBoot](#)
 - [Downloads](#)
- [The Clubhouse](#)
 - [Bat Cave](#)
 - [Forum News](#)
 - [Polls](#)
 - [Site Suggestions](#)
 - [System Usage](#)
 - [Development](#)
 - [Gaming](#)
 - [HTPC](#)
 - [Music](#)
 - [Photography](#)
 - [Servers](#)
 - [Video](#)
- [Infinite Loop](#)
 - [Apple News & Rumors](#)
 - [iOS](#)
 - [iPad](#)
 - [iPhone](#)
 - [iPod Touch](#)
 - [iOS Development](#)
 - [Mac Hardware](#)
 - [iMac](#)
 - [Mac Pro](#)
 - [Mac Mini](#)
 - [MacBook Pro](#)
 - [MacBook Air](#)
 - [Mac OS X Support](#)
 - [Mac Software](#)
 - [Other Apple Hardware](#)
- [Laptops](#)
 - [Laptop Compatibility](#)
 - [Mavericks Laptop Support](#)
 - [HP ProBook Mavericks](#)
 - [Mtn. Lion Laptop Support](#)
 - [HP ProBook](#)
 - [Lion Laptop Support](#)
 - [HP Probook 4530s](#)
 - [SL Laptop Support](#)
- [Guides](#)
 - [Start Here!](#)

- [10.10 Installation](#)
- [10.9 Installation](#)
- [10.8 Installation](#)
- [10.7 Installation](#)
- [10.6 Installation](#)
- [GuideBeast](#)
- [Clover Guide](#)
- [Downloads](#)
 - [Downloads Index](#)
 - [DSDT](#)
- +
 - [Albums](#)
 - [Videos](#)
 - [Shop](#)
 - [CustoMac.com](#)
 - [MultiBeast.com](#)
 - [UniBeast.com](#)

- [Home](#)
- [Activity](#)
- [Rules](#)
- [Contact Us](#)
- -
- -
- -
- -
- -
- -

Design & Content Copyright ©2010-2014 tonymacx86 LLC

[Privacy Policy](#) | [Rules](#) | [Terms and Conditions](#)

```
<div class="statcounter"><a onclick="_gaq.push(['_trackEvent', 'Outgoing',
'statcounter.com', '/']);" title="hits counter" href="http://statcounter.com/"
target="_blank"></a></div>
```